


Company: _____ Phone: _____
 Processed by: _____ Email: _____
 Street, Place: _____ Date: _____

| | |
|--|---|
| <p>Power drive:</p> <p>Performance data:</p> <p>Speed n1 _____ (1/min) 1) n2 _____ (1/min) 1)</p> <p>Torque T1 _____ (Nm) 2) T2 _____ (Nm) 2)</p> <p>Performance P _____ (KW) 3)</p> | <p>Geometrical data:</p> <p>Center distance a (mm) _____</p> <p>Number of teeth Z1 4) _____ Z2 4) _____</p> <p>Pulley diameter / Installation space d1 _____ (mm) 4) d2 _____ (mm) 4)</p> <p>Center distance adjustable <input type="checkbox"/></p> <p>Adjustment range (mm) _____</p> <p>Tensioner inside <input type="checkbox"/></p> <p>Tensioner outside <input type="checkbox"/></p> <p>Shaft diameter d1 _____ (mm) 5) d2 _____ (mm) 5)</p> |
|--|---|

Art der Belastung

- Reverse operation
- constant
- non-constant
- impact loading



Operating conditions

Ambient temperature _____
 Influence of oil, dust, acid etc. _____

Additional features

Profile _____
 Coating _____
 Support rail _____
 Milling / processing _____ (Please attach dimensioned drawing)

Drawing/Draft/Information:

- 1) One of the two values is required.
- 2) One of the two values is required.
- 3) If the torque T_1 , T_2 is unknown, P is required.
- 4) Either specify the number of teeth or alternatively the diameter.
- 5) Specifying the holes in the toothed pulleys is optional.